

# Packing instruction for warehouse deliveries

Susanne Fraise  
Warehouse Manager UNICEF  
Supply Division,

# THE COPENHAGEN WAREHOUSE

- Unicef Copenhagen warehouse will in near future move to a fully automated, high-bay warehouse.
- In this respect, we kindly request our suppliers to pay special attention to the palletization of shipments to CPH.

# Palletization



## ACCEPTABLE TYPES OF PALLETS FOR WHS SHIPMENTS:



Euro Pallet standards (ISO 445) with the following dimensions: 1200 x 800 x 144 mm (L x W x H).

The size of the pallets can be reduced to 1200 x 750 x 144 mm for container optimization.



US pallets with the following dimensions: 1200 x 1000 x 144 mm (L x W x H).

All wooden packaging shall be fumigated: Treatment, marking, documentation according to ISPM 15 specifications.

# Non-acceptable pallets



Inka pallets – NOT acceptable




Plastic pallets – NOT acceptable




China pallets and any other  
Non-conforming pallets  
– NOT acceptable

# Palletization height



EURO pallet



US pallet

- The max. acceptable combined height of the pallet and the palletized goods: 1050 mm.

# Non-Conformity

- **In case of non-conformity with the packing and labelling requirements in the LTA and purchase orders, Unicef reserves the right to reject the shipment or rework it at the supplier's cost.**